

CLAIMS:

1. An adapter for selectively mounting to an associated wall of a cabinet, comprising:
  - a first wall having at least one opening for receiving an associated peg hook;
  - 5 a second wall depending from a first end of the first wall; and
  - a third wall extending from the second wall and including an opening for mounting the adapter to the associated wall, wherein the third wall is substantially parallel to the first wall.
2. The adapter of claim 1, wherein the second wall depends substantially normal from the first wall.
3. The adapter of claim 2, further comprising a fourth wall depending from a second end of the first wall opposite said first end of said first wall substantially parallel to the second wall.
4. The adapter of claim 3, wherein the fourth wall depends substantially normal from the first wall.
5. The adapter of claim 4, further comprising a fifth wall extending from the fourth wall, wherein the fifth wall is substantially parallel to the first wall.
6. The adapter of claim 5, wherein the fifth wall comprises a notch for mounting the adapter to the associated wall.
7. The adapter of claim 6, wherein a longitudinal axis of the notch is aligned with a longitudinal axis of the opening in the third wall.
8. The adapter of claim 7, wherein the opening in the third wall includes a linear edge.

9. The adapter of claim 1, wherein said adapter is formed from a single piece of metal.

10. The adapter of claim 1, further comprising a depression around each of the openings in the first wall.

11. The adapter of claim 1, wherein said openings in said first wall are equally spaced apart and parallel to each other.

12. A method for providing a removable pegboard in a cabinet having a plurality of lances on a side wall of the cabinet, the method comprising:

5 providing a peg board adapter, wherein the peg board adapter includes a first wall having a plurality of openings for receiving peg hooks, a second wall depending from the first wall, and a third wall extending from the second wall such that the third wall is at least substantially parallel to the first wall, wherein the third wall includes a mounting opening;

10 mounting the peg board adapter to a wall of the cabinet by placing one of said lances through the mounting opening and supporting a portion of the third wall on said one of said lances.

13. The method of claim 12, wherein the step of providing a peg board adapter further includes providing a peg board adapter comprising a fourth wall spaced from the second wall and depending from the first wall and a fifth wall extending from the fourth wall, wherein the fifth wall is at least substantially in the same plane as the  
5 first mounting wall.

14. The method of claim 13, wherein the step of providing a peg board adapter further includes providing a peg board adapter wherein the fifth wall includes a notch formed in a lower edge of said wall, wherein the notch is aligned with the mounting opening in the third wall.

15. The method of claim 14, wherein the step of mounting said adapter further comprises placing one of said lances into the notch such that a portion of the first wall is supported by said one of said lances.